

see your patient's safety

Sientra breast implants have an unrivaled safety profile and are clinically shown to have low complication rates¹

PATIENT DECISION CHECK LIST COMPARISON

	SIENTRA 3 YRS	SIENTRA ¹ 10 YRS	MENTOR MEMORYGEL ²	MENTOR MEMORYSHAPE ²	ALLERGAN NATRELLE ³
Breast pain	2.6%	4.5%	5.2%	3.7%	11.7%
Nipple sensation changes	3.2%	5.9%	7.9%	5.5%	6.3%
Skin sensation changes	0.9%	1.0%	3.0%	3.9%	2.2%
Asymmetry	8.7%	16.9%	12.7%	11.5%	23.2%
Ptosis	2.0%	4.6%	5.5%	10.0%	4.9%
Infection requiring possible removal of implant	5.1%	5.1%	5.8%	2.9%	3.2%
Swelling	2.0%	1.5%	NR	1.4%	9.2%
Scarring	3.1%	4.1%	4.2%	2.0%	6.6%
Seroma	2.4%	3.6%	2.1%	2.6%	6.7%
Hematoma	0.9%	1.1%	2.8%	NR	2.1%
Tissue death of breast skin or nipple	0.4%	0.3%	0.9%	NR	2.3%
Inability to breast feed	8.0%	11.4%	1.6%	NR	30.0%
Implant removal	11.4%	39.0%	24.1%	25.9%	32.4%
Capsular Contracture III/IV	8.8%	15.8%	36.9%	16.4%	28.7%
Rupture or leaking of the implant	2.5%	16.5%	43.9%	18.9%	35.4%
Wrinkling of the implant	2.4%	4.8%	7.0%	14.0%	10.2%
Visibility of the implant edges	1.0%	1.0%	NR	4.5%	6.7%
Implant malposition	5.5%	11.5%	6.7%	9.0%	13.3%
Reoperation	42.5%	56.7%	50.7%	59.7%	71.5%

NR = Not Reported

*The clinical studies from these manufacturers are not designed to be compared head-to-head. Each individual company's own individual and published rates were presented

1. Stevens WG, Calobrace MB, Alizadeh A, Zeidler KR, Harrington JL, d'Incelli RC. Ten-year core study data for Sientra's Food and Drug Administration - approved round and shaped breast implants with cohesive silicone gel. *Plast Reconstr Surg*. 2018;141(4S):7S-19S.
2. Mentor Worldwide LLC. Patient Decision Checklist: MemoryShape & MemoryGel: <https://www.breastimplantsbymentor.com/MENTOR-implant-safety-information>. Accessed December 2021
3. Allergan Sales, LLC. Patient Decision Checklist: https://www.natrellesurgeon.com/Content/PDF/Augmentation_Consent_Form.pdf. Accessed December 2021

BREAST IMPLANTS

Sientra breast implants are indicated for breast augmentation in women at least 22 years old and for breast reconstruction. Breast implant surgery is contraindicated in women with active infection anywhere in their body, with existing cancer or precancerous conditions who have not received adequate treatment for those conditions, and who are currently pregnant or nursing. Prior to use, plastic surgeons should review all risk information, which is found in the Directions for Use. Key complications associated with the use of silicone gel breast implants include capsular contracture, implant removal, rupture, and reoperation. The Directions for Use and detailed information regarding the risks and benefits of Sientra breast implants can be found at sientra.com.

The sale and distribution of this device is restricted to users and/or user facilities that provide information to patients about the risks and benefits of this device in the form and manner specified in the approved labeling provided by Sientra, Inc.

Sientra® is a trademark of Sientra, Inc. All other trademarks are the property of their respective owners. ©2022 Sientra, Inc. All rights reserved.

MDC-0760 R1